



U.S. GROUT, LLC

Material Safety Data Sheet

May be used to comply with OSHA’s Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department Of Labor

Occupational Safety and Health Admin.
(GHS Format)
Form Approved
OMB No. 1218-0072

1. Product and Company Identification

US Grout Ultrafine VX

Trade Name / Synonyms: Ultrafine Cementitious Grout

Manufacturer’s Name:
US Grout, LLC

Contact Telephone Numbers
(208) 766-4777

Address
100 Hess Drive
Malad, Idaho 83252

Emergency Telephone Number:
(208) 766-2655
Date Prepared: 1 Jan 2017

2. Composition / Information on Ingredients

Component: Aluminum Silicate
CAS Number: 1335-30-4
Percentage: 50-60

Component: Portland Cement
CAS Number: 65997-15-1
Percentage: 40-50

3. Hazard Identification

GHS-US classification
Skin corrosion 1A
Serious Eye Damage 1
Skin Sensitization 1
Carcinogenicity 1A
Specific Target Organ Toxicity After Single Exposure 3

GHS-US labelling

Hazard pictograms (GHS-US)



GHS05

GHS07

GHS08

Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation.

Prevention statements (GHS-US)

: Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not breathe dusts. Wash hands thoroughly after handling. Wear protective gloves and clothing as well as eye and face

| | |
|------------------------------|--|
| Response statements (GHS-US) | : protection. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor if ingested or skin / eye irritation persists or worsens. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. |
| Storage statements (GHS-US) | : Store to keep product dry until use. |
| Disposal statements (GHS-US) | : Dispose of contents and container in accordance with all local, state, and federal regulations. |
| Supplemental Information | Read and Follow all precautions listed in the Safety Data Sheet available on request or at: Ashgrove.com. Additional information on the selection and use of respirators can be found in the NIOSH Respirator Selection Logic (DHHS [NIOSH] Publication No. 2005-100) and the NIOSH Guide to Industrial Respiratory Protection (DHHS [NIOSH] Publication No. 87-116) available at http://www.cdc.gov/niosh/docs/87-116/ . This product contains greater than 0.1% crystalline silica. Crystalline silica has been linked to cancer, silicosis, and other lung problems in conditions of prolonged airborne over-exposure. Keep product dry until use. Avoid contact with bleed water from wet product. Clothing saturated with wet product can result in delayed, serious alkali skin burns. |

4. First Aid Measures

Inhalation: Remove to fresh air.

Skin Contact: Remove contaminated clothing, jewelry, and shoes. Wash with soap or mild detergent. Get medical attention, if irritation occurs (redness, rash, blistering).

Eye Contact: Wash eyes immediately with copious amounts of water or normal saline, occasionally lifting upper and lower lids, until no evidence of chemical remains. Get medical attention immediately.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, keep head lower than hips to help prevent aspiration. If victim is fully conscious give one or two cups of water or milk to drink. Get medical attention, if needed.

5. Fire and Explosion Hazards

Fire and Explosion Hazards: Non-Flammable

Extinguishing Media: N/A

Flash Point: Not Applicable

6. Accidental Release Measures

Industrial Release:

Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Use methods to minimize dust.

8. Exposure Controls, Personal Protection

Exposure Limits:

Aluminum Silicate: No occupational exposure limits established by OSHA, ACGIH, or NIOSH.

Portland Cement:

5 mg/m³ OSHA TWA (respirable particulate)
10 mg/m³ OSHA TWA (total particulate)
10 mg/m³ ACGIH TWA (total particulate) (no asbestos and <1% crystalline silica)
5 mg/m³ NIOSH recommended TWA 10 hour(s) (respirable particulate)
10 mg/m³ NIOSH recommended TWA 10 hour(s) (total particulate)

Ventilation: Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

Eye Protection: Wear splash resistant safety goggles. Provide an emergency eye wash fountain in the immediate work area.

Clothing: Special clothing not required.

Gloves: Special gloves not required.

Respirator: Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory equipment must be certified by NIOSH/MSHA.

9. Physical and Chemical Properties

Color: Gray

Physical Form: Powder

Odor: Slight non-offensive odor

pH: 9-10

Boiling Point: No data available

Flammability: Not applicable

Flash Point: Not applicable

Melting Point: Not Applicable

Explosive Properties: None

Freezing Point: Not applicable

Oxidation: Not applicable

Specific Gravity: 2.87

Water Solubility: 0.15 – 1.0

10. Reactivity Data

Reactivity: Stable at normal temperatures and pressure.

Polymerization: Will not polymerize.

11. Toxicological Information

Ultrafine Cementitious Grout:

Carcinogen Status: None

Acute Toxicity Level: No data available

Aluminum Silicate:

Carcinogen Status: None

Acute Toxicity Level: No data available

Target Organs: No data available

Portland Cement:

Carcinogen Status: None

Local Effects: Irritant – skin, eye

Medical Conditions Aggravated by Exposure: Pre-existing upper respiratory conditions

12. Disposal Considerations

Dispose in accordance with all applicable regulations. Dispose in accordance with all applicable regulations.

13. Transport Information

No classification currently assigned.

14. Regulatory Information

U.S. Regulations - TSCA Inventory Status:

| | |
|-----------------------------------|------------|
| TSCA 12(b) EXPORT NOTIFICATION: | Not listed |
| CERCLA, SECTION 103 (40CFR302.4): | N |
| SARA SECTION 302 (40CFR355.30): | N |
| SARA SECTION 304 (40CFR355.40): | N |
| SARA SECTION 313 (40CFR372.65): | N |

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370-21):

| | |
|----------------|---|
| ACUTE: | Y |
| CHRONIC: | N |
| FIRE: | N |
| REACTIVE: | N |
| SUDDEN RELEASE | N |

OSHA PROCESS SAFETY (29CFR1910.119): N

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65: N

--- End of Document ---